March 18, 2002

Mr. Jeff Barnhill Textron Automotive Exteriors, Inc. A Subsidiary of Collins & Aikman Products Co. P.O. Box 559 Morristown, Indiana 46161

Re: R 145-13488-00033

First Reopening to Part 70 Operating

Permit

T 145-7514-00033

Dear Mr. Barnhill:

Textron Automotive Exteriors, Inc. was issued a Part 70 Operating Permit on September 16, 1999. The Office of Air Quality (OAQ) has determined that it is necessary to reopen your Part 70 permit. Notice of the permit reopening pursuant to 326 IAC 2-7-9(c) was provided on August 16, 2000.

As stated in the Notice, the language in 40 CFR Part 70.6(c)(5)(iii)(B)) was changed from "continuous or intermittent compliance" to "based on continuous or intermittent data" as part of the U.S. EPA's 1997 Compliance Assurance Monitoring rule making (Federal Register Volume 62, page 54900-54947, Wednesday, October 22, 1997). The U.S. District Court of Appeals, Washington D.C. ruled against EPA's language, saying that the Clean Air Act wording of continuous or intermittent compliance had to be used. (NRDC vs. EPA, #97-1727) Therefore, the following change is being made to your permit to be consistent with state and federal law.

Condition B.11(c)(3) is revised as follows:

B.11 Annual Compliance Certification [326 IAC 2-7-6(5)]

- (c) The annual compliance certification report shall include the following:
 - (1) The appropriate identification of each term or condition of this permit that is the basis of the certification;
 - (2) The compliance status;
 - (3) Whether compliance was based on continuous or intermittent data;
 - (4) The methods used for determining compliance of the source, currently and over the reporting period consistent with 326 IAC 2-7-5(3); and
 - (5) Such other facts, as specified in Sections D of this permit, as IDEM, OAQ, may require to determine the compliance status of the source.

Textron Automotive Exteriors, Inc. Morristown, Indiana Reviewer: Gary Freeman Page 2 of 2 Reopening No. R 145-13488-00033 Part 70 Permit No. T 145-7514-00033

All other conditions of the permit shall remain unchanged and in effect. Please attach a copy of this reopening and the following revised permit pages to the front of the original permit.

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Stacey Pfeffer, at (800) 451-6027, press 0 and ask for Stacey Pfeffer or extension 3-2628, or dial (317) 233-2628.

Sincerely,

original signed by

Paul Dubenetzky, Chief Permits Branch Office of Air Quality

Attachments SP/gkf

cc: File Shelby County

Shelby County Health Department

Air Compliance Section Inspector - D J Knotts Compliance Data Section - Karen Nowak Administrative and Development File

Technical Support and Modeling - Michele Boner

PART 70 OPERATING PERMIT OFFICE OF AIR QUALITY

Textron Automotive Exteriors, Inc. 2782 East U.S. Highway 52 Morristown, Indiana 46161

(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-7 and 326 IAC 2-1-3.2 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

Operation Permit No.: T 145-7514-00033	
Issued by: Janet G. McCabe, Assistant Commissioner Office of Air Quality	Issuance Date: September 16, 1999 Expiration Date: September 16, 2004

First Administrative Amendment 145-15177-00033, issued November 29, 2001

First Reopening: R 145-13488-00033	Page Affected: 11
Issued by: Original signed by Paul Dubenetzky, Branch Chief Office of Air Quality	Issuance Date: March 18, 2002

Textron Automotive Exteriors, Inc. Morristown, Indiana

Permit Reviewer: MES

First Reopening R 145-13488 Opened by: Gary Freeman

Page 11 of 48 OP No. T145-7514-00033

and

United States Environmental Protection Agency, Region V Air and Radiation Division, Air Enforcement Branch - Indiana (AE-17J) 77 West Jackson Boulevard Chicago, Illinois 60604-3590

- (b) The annual compliance certification report required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.
- The annual compliance certification report shall include the following: (c)
 - (1) The identification of each term or condition of this permit that is the basis of the certification:
 - (2) The compliance status;
 - (3) Whether compliance was continuous or intermittent;
 - The methods used for determining compliance of the source, currently and over the (4) reporting period consistent with 326 IAC 2-7-5(3);
 - (5) Any insignificant activity that has been added without a permit revision; and
 - (6)Such other facts, as specified in Sections D of this permit, as IDEM, OAQ, may require to determine the compliance status of the source.

The submittal by the Permittee does require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

Preventive Maintenance Plan [326 IAC 2-7-5(1),(3) and (13)] [326 IAC 2-7-6(1) and (6)] B.12 [326 IAC 1-6-3]

- If required by specific condition(s) in Section D of this permit, the Permittee shall prepare (a) and maintain Preventive Maintenance Plans (PMP) within ninety (90) days after issuance of this permit, including the following information on each facility:
 - Identification of the individual(s) responsible for inspecting, maintaining, and repair-(1) ing emission control devices;
 - A description of the items or conditions that will be inspected and the inspection (2)schedule for said items or conditions;
 - Identification and quantification of the replacement parts that will be maintained in (3)inventory for quick replacement.

If due to circumstances beyond its control, the PMP cannot be prepared and maintained within the above time frame, the Permittee may extend the date an additional ninety (90)